AMENDMENTS TO THE CLAIMS:

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)
- 7. (Currently Amended) A disc-shaped recording medium comprising:

a video data recording area an object data recording zone in which an audio stream containing audio data is recorded; and

a video manager recording area a management data recording zone located in a different position from the video data recording area object data recording zone in a direction of a diameter of the recording medium, in which control information is recorded.

wherein the control information includes application information indicating whether or not the audio stream recorded in the <u>video data recording</u> area object data recording zone contains audio data intermingled from different recording modes as one stream.

8. (Previously Presented) The recording medium according to claim 7, wherein the recording modes include monaural audio, multi-channel audio and multiplexed audio.

- 9. (Previously Presented) The recording medium according to claim 7, wherein the audio stream contains multiplexed audio data.
- 10. (Previously Presented) The recording medium according to claim 9, wherein the multiplexed audio data consists of a plurality of audio channels and contains multiple language data in different audio channels.
- 11. (Previously Presented) The recording medium according to claim 9, wherein the audio stream further contains multi-channel audio data, and wherein the application information indicates that the audio stream contains the audio data with different recording modes.
- 12. (Previously Presented) The recording medium according to claim 7, wherein the control information further includes number information indicating a number of audio channels in the audio stream.
- 13. (Previously Presented) The recording medium according to claim 7, wherein the control information further includes number information specifying one of the recording modes.
- 14. (Previously Presented) The recording medium according to claim 7, wherein the control information further includes rate information indicating a bit rate of the audio data.

15. (Currently Amended) A system for recording audio data on a discshaped recording medium comprising:

a recording device which records audio data in a video data recording area an object data recording zone of the recording medium as an audio stream; and

a generating device which generates control information including application information indicating whether or not the audio stream recorded in the video data recording area object data recording zone contains audio data intermingled from different recording modes as one stream,

wherein the recording device records the control information in <u>a video</u> manager recording area a management data recording zone located in a different position from the <u>video data recording area</u> object data recording zone in a direction of a diameter of the recording medium.

- 16. (Previously Presented) The system according to claim 15, wherein the recording modes include monaural audio, multi-channel audio and multiplexed audio.
- 17. (Previously Presented) The system according to claim 15, wherein the audio stream includes multiplexed audio data.

- 18. (Previously Presented) The system according to claim 17, wherein the multiplexed audio data consists of a plurality of audio channels and contains multiple language data in different audio channels.
- 19. (Previously Presented) The system according to claim 17, wherein the audio stream further includes multi-channel audio data, and

wherein the generating device generates application information indicating that the audio stream contains audio data with different recording modes.

- 20. (Previously Presented) The system according to claim 15, wherein the generating device further generates number information indicating a number of audio channels in the audio stream.
- 21. (Previously Presented) The system according to claim 15, wherein the generating device further generates number information specifying one of the recording modes.
- 22. (Previously Presented) The system according to claim 15, wherein the generating device further generates rate information indicating a bit rate of the audio data.

23. (Currently Amended) A system for reproducing audio data from a

disc-shaped recording medium comprising a video data recording area an object

data recording zone in which an audio stream containing the audio data is

recorded, and a video manager recording area a management data recording

zone located in a different position from the video data recording area object data

recording zone in a direction of a diameter of the recording medium in which

control information is recorded, wherein the control information includes

application information indicating whether or not the audio stream recorded in the

video data recording area object data recording zone contains audio data

intermingled from different recording modes as one stream,

the system comprising:

a reading device which reads the control information from the video

manager recording area management data recording zone of the recording

medium; and

a controller which controls the reproduction of the audio data recorded in

the video data recording area object data recording zone of the recording

medium based on the control information.

24. (Previously Presented) The system according to claim 23,

wherein the recording modes include monaural audio, multi-channel audio and

multiplexed audio.

- 25. (Previously Presented) The system according to claim 23, wherein the audio stream contains multiplexed audio data.
- 26. (Previously Presented) The system according to claim 25, wherein the multiplexed audio data consists of a plurality of audio channels and contains multiple language data in different audio channels,

the system further comprising operating device for selecting one of the multiple language data,

wherein the controller controls the reproduction of the audio data such that only the selected one of the multiple language data is reproduced.

27. (Previously Presented) The system according to claim 25, wherein the audio stream further contains multi-channel audio data, and

wherein the application information indicates that the audio stream contains the audio data with different recording modes.

- 28. (Previously Presented) The system according to claim 23, wherein the control information further includes number information indicating a number of audio channels in the audio stream.
- 29. (Previously Presented) The system according to claim 23, wherein the control information further includes number information specifying one of the recording modes.

30. (Previously Presented) The system according to claim 23, wherein the control information further includes rate information indicating a bit rate of the audio data.

31. (Currently Amended) A method of recording audio data on a discshaped recording medium comprising the steps of:

recording audio data in <u>a video data recording area</u> an object data recording zone of the recording medium as an audio stream;

generating control information including application information indicating whether or not the audio stream recorded in the <u>video data recording area</u> object data recording zone contains audio data intermingled from different recording modes; and

recording the control information in a video manager recording area a management data recording zone located in a different position from the video data recording area object data recording zone in a direction of a diameter of the recording medium.

32. (Previously Presented) The method according to claim 31, wherein the recording modes include monaural audio, multi-channel audio and multiplexed audio.

- 33. (Previously Presented) The method according to claim 31, wherein the audio stream contains multiplexed audio data.
- 34. (Previously Presented) The method according to claim 33, wherein the multiplexed audio data consists of a plurality of audio channels and contains multiple language data in different audio channels.
- 35. (Previously Presented) The method according to claim 33, wherein the audio stream further contains multi-channel audio data, and

wherein the application information indicates that the audio stream contains audio data with different recording modes.

- 36. (Previously Presented) The method according to claim 31, wherein the control information further includes number information indicating a number of audio channels in the audio stream.
- 37. (Previously Presented) The method according to claim 31, wherein the control information further includes number information specifying one of the recording modes.
- 38. (Previously Presented) The method according to claim 31, wherein the control information further includes rate information indicating a bit rate of the audio data.

39. (Currently Amended) A method of reproducing audio data from a disc-shaped recording medium comprising a video data recording area an object data recording zone in which an audio stream containing the audio data is recorded, and a video manager recording area a management data recording zone located in a different position from the video data recording area object data recording zone in a direction of a diameter of the recording medium, in which control information is recorded, wherein the control information includes application information indicating whether or not the audio stream recorded in the video data recording area object data recording zone contains audio data intermingled from different recording modes,

the method comprising the steps of:

reading the control information from the <u>video manager recording area</u>

management data recording zone of the recording medium; and

controlling the reproduction of the audio data recorded in the <u>video data</u> recording area object data recording zone of the <u>recording</u> medium based on the control information.

40. (Previously Presented) The method according to claim 39, wherein the recording modes include monaural audio, multi-channel audio and multiplexed audio.

- 41. (Previously Presented) The method according to claim 39, wherein the audio stream contains multiplexed audio data.
- 42. (Previously Presented) The method according to claim 41, wherein the multiplexed audio data consists of a plurality of audio channels and contains multiple language data in different audio channels,

the method further comprising the step of selecting one of the multiple language data,

wherein the step of controlling the reproduction controls the reproduction of the audio data such that only the selected one of the multiple language data is reproduced.

43. (Previously Presented) The method according to claim 41, wherein the audio stream further contains multi-channel audio data, and

wherein the application information indicates that the audio stream contains the audio data with different recording modes.

44. (Previously Presented) The method according to claim 41, wherein the control information further includes number information indicating a number of audio channels in the audio stream.

11

- 45. (Previously Presented) The method according to claim 39, wherein the control information further includes number information specifying one of the recording modes.
- 46. (Previously Presented) The method according to claim 39, wherein the control information further includes rate information indicating a bit rate of the audio data.
- 47. (Currently Amended) A disc-shaped recording medium comprising:

 a video data recording area an object data recording zone in which an audio stream containing audio data is recorded; and
- a video manager recording area a management data recording zone located in a different position from the video data recording area object data recording zone in a direction of a diameter of the recording medium in which control information is recorded,

wherein the control information includes a mixed mode flag.

- 48. (Previously Presented) The recording medium of claim 47, wherein the control information also includes channel number data.
- 49. (Previously Presented) The recording medium of claim 48, wherein the channel number data indicates multiplexed audio data, multi-channel audio data, and monaural audio data.

50.(Currently Amended) A system for recording audio data on a discshaped recording medium comprising:

a recording device which records audio data in a video data recording area an object data recording zone of the recording medium as an audio stream; and

a generating device which generates control information including a mixed mode flag,

wherein the recording device records the control information in <u>a video</u> manager recording area a management data recording zone located in a different position from the <u>video data recording area</u> object data recording zone in a direction of a diameter of the recording medium.

- 51. (Previously Presented) The system of claim 50, wherein the control information also includes channel number data.
- 52. (Previously Presented) The system of claim 51, wherein the channel number data indicates multiplexed audio data, multi-channel audio data, and monaural audio data.
- 53. (Currently Amended) A system for reproducing audio data from a disc-shaped recording medium comprising a video data recording area in which an audio stream containing the audio data is recorded, and a video manager

recording area located in a different position from the <u>video data recording area</u> in a direction of a diameter of the recording medium in which control information is recorded, wherein the control information includes a mixed mode flag, the system comprising:

a reading device which reads the control information from the <u>video</u>

<u>manager recording area</u> of the recording medium; and

a controller which controls the reproduction of the audio data recorded in the <u>video data recording area</u> of the <u>recording</u> medium based on the control information.

- 54. (Previously Presented) The system of claim 53, wherein the control information also includes channel number data.
- 55. (Previously Presented) The system of claim 54, wherein the channel number data indicates multiplexed audio data, multi-channel audio data, and monaural audio data.
- 56. (Currently Amended) A method of recording audio data on a disc-shaped recording medium comprising the steps of:

recording audio data in <u>a video data recording area</u> of the recording medium as an audio stream;

14

generating control information including a mixed mode flag; and

recording the control information in <u>a video manager recording area</u> located in a different position from the <u>video data recording area</u> in a direction of a diameter of the recording medium.

- 57. (Previously Presented) The method of claim 56, wherein the control information also includes channel number data.
- 58. (Previously Presented) The method of claim 57, wherein the channel number data indicates multiplexed audio data, multi-channel audio data, and monaural audio data.
- 59. (Currently Amended) A method of reproducing audio data from a disc-shaped recording medium comprising a video data recording area in which an audio stream containing the audio data is recorded, and a video manager recording area located in a different position from the video data recording area in a direction of a diameter of the recording medium, in which control information is recorded, wherein the control information includes a mixed mode flag, the method comprising the steps of:

reading the control information from the <u>video manager recording area</u> of the recording medium; and

controlling the reproduction of the audio data recorded in the <u>video data</u> recording area of the recording medium based on the control information.

60. (Previously Presented) The method of claim 59, wherein the control information also includes channel number data.

61. (Previously Presented) The method of claim 60, wherein the channel number data indicates multiplexed audio data, multi-channel audio data,

and monaural audio data.

62. (Currently Amended) The recording medium according to claim 7, wherein the video manager recording area management data recording zone is

located inward of the video data recording area object data recording zone.

63. (Currently Amended) The recording medium according to claim 15, wherein the video manager recording area management data recording zone is

located inward of the video data recording area object data recording zone.

64. (Currently Amended) The recording medium according to claim 23, wherein the video manager recording area management data recoding zone is

located inward of the video data recording area object data recording zone.

65. (Currently Amended) The recording medium according to claim 31, wherein the video manager recording area management data recording zone is

located inward of the video data recording area object data recording zone.

66. (Currently Amended) The recording medium according to claim 39, wherein the <u>video manager recording area</u> management data recording zone is located inward of the <u>video data recording area</u> object data recording zone.

67. (Currently Amended) The recording medium according to claim 47, wherein the <u>video manager recording area management data recording zone</u> is located inward of the <u>video data recording area object data recording zone</u>.

68. (Currently Amended) The recording medium according to claim 50, wherein the <u>video manager recording area management data recording zone</u> is located inward of the <u>video data recording area object data recording zone</u>.

69. (Currently Amended) The recording medium according to claim 53, wherein the <u>video manager recording area management data recording zone</u> is located inward of the <u>video data</u> recording area <u>object data recording zone</u>.

70. (Currently Amended) The recording medium according to claim 56, wherein the <u>video manager recording area management data recording zone</u> is located inward of the <u>video data recording area object data recording zone</u>.

71. (Currently Amended) The recording medium according to claim 59, wherein the <u>video manager recording area management data recording zone</u> is located inward of the <u>video data recording area object data recording zone</u>.